

SEQUENCE LISTING

<110> Brod, Staley A.
 <120> Method of Treating Auto-Immune Diseases Using Type
 One Interferons
 <130> D5716CIP2
 <140> US 08/631,470
 <141> 1998-04-12
 <150> US 08/408,271
 <151> 1995-03-24
 <160> 6

C1

<210> 1
 <211> 21
 <212> DNA
 <213> artificial sequence
 <220>
 <222> 400..420
 <223> Plus strand cytokine specific primer for the inducible
 MxA mRNA designated by the relative position in the
 human mRNA

<400> 1

gtggagcagg acctggccct g 21

<210> 2
 <211> 20
 <212> DNA
 <213> artificial sequence
 <220>
 <222> 895..876
 <223> Minus strand cytokine specific primer for the inducible
 MxA mRNA designated by the relative position in the
 human mRNA

<400> 2

gagcctctgt ggtggcaatg 20

<210> 3
 <211> 25
 <212> DNA
 <213> artificial sequence
 <220>
 <222> 84..108
 <223> Plus strand cytokine specific primer for the
 constitutively expressed G3PDH mRNA designated by the
 relative position in the human mRNA.
 <400> 3
 caacggattt ggctcgattg ggcgc 25
 <210> 4
 <211> 25
 <212> DNA
 <213> artificial sequence
 <220>
 <222> 1068..1094
 <223> Minus strand cytokine specific primer for the
 constitutively expressed G3PDH mRNA designated by the
 relative position in the human mRNA.
 <400> 4
 ttactccttg gaggccatgt gggcc 25
 <210> 5
 <211> 21
 <212> DNA
 <213> artificial sequence
 <220>
 <222> 405..425
 <223> Oligonucleotide probe, designated by the relative
 position in the human mRNA, used to determine the
 specificity of the amplified MxA mRNA.
 <400> 5
 accagatgcc ctctgggtgct g 21

<210> 6
<211> 25
<212> DNA
<213> artificial sequence
<220>
<222> 687..663
<223> Oligonucleotide probe, designated by the relative
position in the human mRNA, used to determine the
specificity of the amplified GAPDH mRNA.
<400> 6

ggctctccag aacatcatcc ctgcc

25

~~SEQ 3~~